

Porous mode 1

INTERNATIONAL CERAMICS COMPETITION
MINO, JAPAN GOLD AWARDS

wall type



T3S / Grayish White(Unglazed)



T3H / Beige(Unglazed)



T3W / White(Unglazed)



T3B / Black(Unglazed)

screen type



T3S-A / Grayish White(Unglazed)



T3H-A / Beige(Unglazed)




T3W-A / White(Unglazed)




T3B-A / Black(Unglazed)


arrangement



pattern A







pattern B



pattern C



Corner piece / 45degree angle side cut and glued two pieces



data book

CAD data and drawings can be downloaded from our website page.

Porous model 1


type	NO. / color	pcs/m ²	size (LxWxT mm)	weight/pc
wall type	T3S / Grayish White(Unglazed)	patternA 226	147x36x30	180g
	T3H / Beige(Unglazed)	patternB 247		
	T3W / White(Unglazed)	patternC 193		
screen type	T3S-A / Grayish White(Unglazed)	patternA 226	147x36x50	300g
	T3H-A / Beige(Unglazed)	patternB 247		
	T3W-A / White(Unglazed)	patternC 193		



type	NO. / color	pcs/m ²	size (LxWxT mm)	weight/pc
wall type	T3B / Black(Unglazed)	patternA 226	147x36x30	220g
		patternB 247		
		patternC 193		
screen type	T3B-A / Black(Unglazed)	patternA 226	147x36x50	330g
		patternB 247		
		patternC 193		

■Ceramic product has individual differences, such as size and color shape. ■Adjust size difference during installation. ■This particular black has a slightly reddish cast which varies depending upon how the light hits it. ■Use elastic adhesives for tiles.

Porous model 1

wall type





patternA ブラウド阿佐ヶ谷 / 野村不動産株式会社 / エントランスデザイン ナツメトモミチ / Photo Nacasa&qPartners